



Intel Inside®.

Leistungsstarke Produktivität Outside.



Introducing the HPE Edgeline EL4000 Intelligent Edge Workspace

The first purpose-built virtual workspace appliance

- Co-Developed by HPE, Atlantis, Citrix
- Available via Distribution
- -Single SKU
- Shipped and bundled as a 'turnkey', integrated appliance
- Available June 2017























**Citrix Cloud and Go** 

**HPE Edgeline EL4000** 

**Atlantis USX** 








## **Connecting HCI to Citrix Cloud Management**

Cloud-based management, local resources – less to deploy, simpler, faster













# Intelligent Edge Workspace Appliance Benefits









Implement a Citrix Workspace Solution in hours, not weeks

Best in class performance & zero touch install

Designed for the Edge

Low cost per desktop; CAPEX/OPEX pricing models Eliminate vendor risk

factory install and one click deploy leveraging Citrix Cloud fastest desktop experience in the market and cloud installation wall or rack mount, ruggedized, dense form factor. \*XenApp \$222/seat

\* XenDesktop \$475/seat

Citrix, HPE and Atlantis power the worlds largest Workspace deployments








## HPE Edgeline EL4000 Intelligent Edge Workspace

Optimised for task - knowledge workers









#### What's in it....

### Best in Class Technology











#### **Citrix Cloud and Go**

- XenApp & XenDesktop Service
- XenMobile Premium Service
- ShareFile Service
- Smart Tools
- NetScaler Gateway Service

#### **HPE Edgeline EL4000**

- EL4000
  - Integrated Power/Cooling/Comms
- 4x M510 Moonshot Cartridges
  - -Intel Xeon D "Broadwell-DE" 1.7GHz -
  - 16 cores
  - -128GB RAM
  - -Equipped with NVMe
  - –4TB Effective Storage Capacity
  - -HPE iLO Advanced
- 3yr, 24x7 Support (HW & SW)


#### **Atlantis USX**

- In memory storage optimisation
  - 3x-12x faster disk performance than PCs with SSD
  - Up to 92% faster launch time for large app vs. traditional VDI
  - Up to 92% faster login time vs. traditional VDI
- Data services
  - Dedupe, Replication and Snapshotting
- Automation

















## **Unified Admin Experience**

— Single Sign on across all services in the control plane












## **HPE Edgeline EL4000**



#### PCIe bays and network connections










## **HPE Edgeline EL4000**









## M510



HPE ProLiant m510					
Workload	General Compute Workhorse, Big Data, Media Processing and more!				
SoC	Intel <sup>®</sup> Xeon <sup>®</sup> D "Broadwell-DE"  - D-1548: 8 core, 2.0 GHz base/2.3 GHz all-core turbo &  - D-1587 <sup>1</sup> : 16 core, 1.7 GHz base/2.1 GHz all-core turbo				
Graphics	iLO4 Remote Console. No integrated GPU.				
Memory	(4) DDR4 ECC RDIMMs (2133/2400 MHz) (8 GB, 16 GB, 32 GB) Maximum Configuration 128 GB (4x32 GB). Dual channel.				
Network Controller	Mellanox ConnectX-3 PRO, Dual-port 10GbE NIC with RoCE				
Onboard Storage	Three (3) M.2 Modules, ~2TB NVMe capacity (1) – x1 SATA-3 M.2 (2242) – 64 GB, 120 GB (future: 240 GB) (2) – x4 Gen3 NVMe M.2 (2280 or 22110): 1 TB each.				
Management	HPE iLO 4 (Remote Console with vKVM and vMedia) HPE Trusted Platform Module (TPM) embedded				
Power	Cartridge Max: TBD, Typical: 90W - (8C, Includes system overhead)				
os	Windows Server 2012/2012 R2/2016 RHEL/CentOS 6.7/ 7.2, Ubuntu 15.04/14.04.3 LTS SLES 12 (factory only), Vmware ESXi 6.0				


<sup>&</sup>lt;sup>1</sup> High wattage (65W) SoC. Maximum allowable servers in a chassis may be reduced due to thermal reasons.







**Benchmark Testing: XenDesktop VDI** 










Benchmark Testing: XenApp Published Desktop









## **HPE Edgeline EL4000**

EL4000					
Compute	Up to (4) Intel based m510 [4x16c] or m710x [4c+GPU] high density servers				
Dimensions	1U , 23" Deep, 17" wide, reversible rack mount with slide rails				
I/O	One x8 PCI-E slot per server (four total) - Or - Four assignable x8 PXI-E slots				
Network	2 port 10GbE pass through per cartridge (dual, combined QSFP) - Or – Aggregated 2 port 10GbE SFP+ uplinks (Layer 2 switch)				
Storage	Onboard server cartridge storage up to 4x 4TB total External storage via PCI-E or iSCSI				
Cooling	N+1 redundant fans				
Environmental	Extended operating temp 0-55 deg C 95% non-condensing Humidity				
Power Input	95-265 VAC or -48 VDC input, 1+1 redundant power, high efficiency				
Management	HPE iLO4 enterprise-class aggregated to single management RJ45				



- Unprecedented Edge Compute
- Datacenter-Class Security and Management
- Engineered to fit into Harsh Edge Environments








## HPE Edgeline EL4000 Intelligent Edge Workspace


### Simple Setup














This setup wizard will guide you through the steps to configure and deploy the HPE Edgeline EL4000 Intelligent Edge Workspace Appliance providing users with access to Citrix XenDesktop or XenApp sessions

- Set XenServer names and networks
- Configure Atlantis USX storage
- Create VM Templates from ISO
- Deploy Citrix Smart Tools Blueprint for XenDesktop or XenApp
- ☐ Add to existing appliance ③
- ☐ Create VM templates ③
- Deploy XenDesktop Cloud ②

Start







## **Global support**

## Citrix Workspace Support Made Easy

- Single contact point for HW/SW
  - Atlantis
  - HPE
  - CITRIX
- 3 Year, 24x7 Support Included with Appliance
  - Hardware & Software









### **Summary**

### Why choose this appliance?

- Low Risk Workspace Solution
  - Leverages proven success with established brands HPE / Atlantis / Citrix
- Simplicity throughout the lifecyle
  - Procure Fixed SKU
    - CAPEX/OPEX pricing models available
  - Install
    - HPE Factory Installation removes risk
    - One touch infrastructure from Citrix Cloud
  - Support
    - 24x7 Single Point of Contact
- Best in class performance
  - Fastest Desktop Experience in the market via In memory optimisation
  - Linear Scalability Reference Architecture









# Thank You!



